

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Customer No.: 22896

Lee, Linda G. et al

Patent No.: **6,849,745**

Issue Date: **February 1, 2005**

For: **ENERGY TRANSFER DYES WITH ENHANCED
FLUORESCENCE**

CERTIFICATE OF E-FILING

I hereby certify that this paper is being electronically filed using USPTO EFS-Web and is addressed to the Commissioner for Patents, Attn: CERTIFICATE OF CORRECTIONS BRANCH, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below.

Nancy Remor

6-20-08
Date of Deposit

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322

Commissioner for Patents
ATTN: CERTIFICATE OF CORRECTIONS BRANCH
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In reviewing the above-identified patent, Patent Office printing errors were discovered therein requiring correction in order to conform the patent to the Official Record of the application.

The errors noted are set forth in the attached copy of form PTO/SB/44 (Rev. 04/05) in the manner required by the Commissioner's Notice.

Basis for the requested changes can be found in the Amendment and Response filed September 25, 2003. The location in the application where the errors in the patent are correctly shown can be found in the Amendment to the Claims section on page 3 of the Amendment. Patentee respectfully requests correction of the printing errors:

The changes requested herein occurred as a result of printing the Letters Patent and the Certificate should be issued without expense under 37 CFR § 322 of the Rules of Practice. However, should the Commissioner determine any fee is due, please charge it to Applied Biosystems Deposit Account No. 01-2213 (Order No 4303C4US).

Respectfully submitted,

Date: 6/19/08

Correspondence Address:
APPLERA CORPORATION
Applied Biosystems Group
850 Lincoln Centre Drive
Foster City, CA 94404
Tel. (650) 638-6492
Fax (650) 638-6677

Timothy H. Joyce
Timothy H. Joyce Reg. No. 38,107
Agent for Applicants


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : **6,849,745**
APPLICATION NO. : **10/014743**
ISSUE DATE : **February 1, 2005**
INVENTOR(S) : **Lee, Linda G. et al**

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 7, Column 83, lines 1 through 27 please remove the figure and replace it with the one below:



Claim 7, Column 84, line 2, please replace the word "nitric" with --nitrile--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Applied Biosystems
850 Lincoln Centre Drive
Foster City, California 94404

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2